Individual and collective welfare in risk-sharing with many states

Federico Echenique Farzad Pourbabaee Berkeley Caltech

D-TEA

June 18, 2024

Example: Walrasian Eq

Consider an exchange economy.

Chapters 15-16 in MWG.


```
Number of goods/states = d (finite but large).
```

Fix an equilibrium allocation.


Fix $\varepsilon > 0$.

Quantitative assessment of welfare: What is the prob. that a random perturbation to equilibrium consumption yields an ε -utility improvement?


Example: Walrasian Eq with d = 2



Example: Walrasian Eq with d = 2



Example: Walrasian Eq with d = 2



Bound is irrespective of details of the economy. In particular, no matter what agents' preferences are.

Example: Walrasian Eq

What's surprising about this?

By monotonicity, $f_i + z \succ_i f_i$ for any z > 0.

Prob. of a (uniform) draw of z > 0 is $1/2^d$.

Compare with $e^{-\varepsilon^2 d/8}$.

Both decrease exponentially in d.

In a sense, "shape doesn't matter."


The good and the bad are separated by the budget.

The bundles that cost less are worse than f_i ; and the ones that are better cost more.


The curvature of indifference curves should matter, but as a first cut, the budget divides the sphere in two equally likely subsets.

In high dimensions, however, and independently of the shape of the indifference curve the prob. of an ε -improvement shrinks to zero.


Example: Scitovsky contour



Example: Scitovsky contour



Example: Scitovsky contour



Overview of the paper

- ► Individual welfare in Walrasian eqm.
- ► Collective welfare in a PO allocation with no aggregate risk.
- ► Welfare and resource utilization in inefficient allocation.
- ► Ambiguity aversion when mutually beneficial trade is possible.
- Technique: isoperimetric inequalities and concentration of measure in high dimensions.

Let $(\mathbb{R}^m, \|\cdot\|)$ be a fin. dimensional normed vector space.

Ball with center c and radius r is denoted

$$\mathbb{B}_2(c,r) = \{ x \in \mathbb{R}^d : \|x - c\|_2 < r \}.$$

- If c = 0 we write $\mathbb{B}_2(r)$.
- If r = 1 we write $\mathbb{B}_2(c)$.

Economic environment: Arrow-Debreu

- A finite set S of states of the world.
- Let $d \coloneqq |S|$.
- An *act* is a function $f : S \rightarrow R$.
- We focus on *monetary acts*, $f \in \mathbb{R}^d$.
- Consumption space is \mathbb{R}^d .

Economic environment: Preferences

- Let \succeq be a binary relation on \mathbb{R}^d .
- The weak upper contour set of \succeq at f is the set $\{g : g \succeq f\}$.

The weak lower contour set of \succeq at f is the set $\{g : f \succeq g\}$.

Economic environment: Preferences

- Let \succeq be a binary relation on \mathbb{R}^d .
- \succeq is a (weakly monotone) preference relation if:
 - (Weak Order): \succeq is complete and transitive.
 - ► (Continuity): The upper and lower contour sets are closed.
 - (Monotonicity): For all $f, g \in \mathbb{R}^d$ if $f(s) \ge g(s)$ for all $s \in S$, then $f \succeq g$. If f(s) > g(s) for all $s \in S$, then $f \succ g$.

The space of preference relations on \mathbb{R}^d is denoted by \mathcal{P} .

A preference \succeq is *convex* if its upper contour sets are convex.

Space of convex preferences is $\mathcal{C} \subset \mathcal{P}$.

Convex preferences are very common in general equilibrium theory (suff. for existence and the second welfare thm).

Many models of decision under uncertainty feature convex preferences (MEU, variational, etc).

Approximate upper contour sets

A notion of utility improvements "with slack" is key to our results.

Definition (ε -upper contour set)

The ε -upper contour set of \succeq at $f \in \mathbb{R}^d$ is

$$\mathcal{U}^{(arepsilon)}_{\succeq}(f) = \left\{ g \in \mathbb{R}^d : (1-arepsilon)g \succ f
ight\} \,.$$

So $g \in \mathcal{U}^{(\varepsilon)}_{\succeq}(f)$ when g is strictly preferred to f even when a fraction ε has been "shaved off."

I a (finite) set of agents.

An exchange economy is a mapping $\mathcal{E}: I \to \mathcal{P} \times \mathbb{R}^d_+$.

Each agent $i \in I$ is described by a preference relation \succeq_i on \mathbb{R}^d , and an *endowment vector* $\omega_i \in \mathbb{R}^d_+$.

An exchange economy is *convex* if each preference relation \succeq_i is convex.

In an exchange economy, we use $\mathcal{U}_i^{(\varepsilon)}$ to denote the upper contour set $\mathcal{U}_{\succeq_i}^{(\varepsilon)}$.

Given an exchange economy \mathcal{E} , the aggregate endowment is $\omega := \sum_{i \in I} \omega_i$.

Walrasian equilibrium

Definition (Walrasian equilibrium)

A pair (f, p) is a Walrasian equilibrium if $f = \{f_i : i \in I\} \in (\mathbb{R}^d)^I$, and $p \in \mathbb{R}^d_+$ are s.t

• $g_i \succ_i f_i$ implies that $p \cdot g_i > p \cdot \omega_i$,

• and
$$p \cdot f_i = p \cdot \omega_i$$
,

for every $i \in I$; and

• $\sum_{i} f_{i} = \sum_{i} \omega_{i}$ (i.e f is an allocation; or "markets clear")

When (f, p) is a Walrasian equilibrium, we say that f is a Walrasian equilibrium allocation.

Main result 1: Walrasian equilibrium

Let P^r denote the uniform probability law on $\mathbb{B}_2(r)$.

Let

$$\mathcal{M}_{\kappa}^{r} \coloneqq \left\{ \widetilde{\mathsf{P}}_{\kappa}^{r} \in \Delta\left(\mathbb{B}(r)\right) : \frac{\mathrm{d}\widetilde{\mathsf{P}}_{\kappa}^{r}}{\mathrm{d}\mathsf{P}^{r}} \leq \kappa \right\}$$

be the class of prob. measures supported on $\mathbb{B}(r)$ that are abs. cont. wrt P^r , and their RN derivative is bounded above by a constant $\kappa > 0$.

Ex: standard Gaussian measure conditional on $\mathbb{B}(r)$ has $\kappa \leq e^{r^2/2}$.

Main result 1: Walrasian equilibrium

Theorem

Let \mathcal{E} be an exch. economy. Let $\tau > 0$ s.t $\omega_i \ge \tau 1$, and f a Walrasian eqm. allocation. Fix $r, \varepsilon > 0$. Let $z \sim \widetilde{\mathsf{P}}_{\kappa}^r \in \mathcal{M}_{\kappa}^r$. Then,

$$\widetilde{\mathsf{P}}^{r}_{\kappa}\left(\left(1-arepsilon
ight)(f_{i}+\widetilde{z})\succ f_{i} ext{ for at least one }i\in I
ight)\leq\kappa\mathrm{e}^{-arepsilon^{2} au^{2}d/8r^{2}}$$

,

So for any i,

$$\widetilde{\mathsf{P}}^{r}_{\kappa}\left(\,(1-arepsilon)(f_{i}+\widetilde{z})\succ f_{i}\,
ight)\leq\mathrm{e}^{-arepsilon^{2} au^{2}d/8r^{2}}\,,$$

as claimed in the first example.

Suppose $\tau = r$ and consider a 10% welfare improvement ($\varepsilon = 0.1$).

The (uniform) prob. of making at least one agent better of is at most $e^{-d/800}$.

Finance: *d* is (at least) number of real assets traded.

If d is the number of stocks trading on the NASDAQ Exchange, then bound in the thm is about 1%.

Main result 2: PO allocations

A profile of acts
$$f = (f_i)_{i \in I} \in \mathbb{R}^{d \times I}$$
 is an *allocation* if $\sum_{i \in I} f_i = \omega = \sum_{i \in I} \omega_i$.

The space of all allocations is denoted by \mathcal{F}_{ω} .

Definition (ε -Pareto optimality)

An allocation $f \in \mathcal{F}_{\omega}$ is ε -Pareto optimal if there is no allocation $g \in \mathcal{F}_{\omega}$ s.t $(1 - \varepsilon)g_i \succ_i f_i$ for all $i \in I$.

Main result 2: No aggregate uncertainty

\mathcal{E} exhibits *no aggregate uncertainty* if $s \mapsto \sum_{i \in I} \omega_i(s)$ is constant.

So

$$\omega = (\bar{\omega}, \ldots, \bar{\omega}).$$

Main result 2: Scitovsky contour

Notation: Given an allocation f and $\varepsilon > 0$, let $\mathcal{V}^{(\varepsilon)} := \sum_{i \in I} \mathcal{U}_i^{(\varepsilon)}(f_i)$ be the Minkowski sum of the approximate upper contour sets.

 $\mathcal{V}^{(\varepsilon)}$ is the ε -Scitovsky contour at f.

Theorem

Let \mathcal{E} be a convex exchange economy w/no aggregate uncertainty. Normalize the agg. endow. to $\omega = 1$. Let f be a weakly PO allocation. Fix $r, \varepsilon > 0$. Let $z \sim \widetilde{\mathsf{P}}_{\kappa}^{r} \in \mathcal{M}_{\kappa}^{r}$. Then,

$$\widetilde{\mathsf{P}}_{\kappa}^{r}\left(\sum_{i}f_{i}+\widetilde{z}\in\mathcal{V}^{(\varepsilon)}\right)\leq\kappa\mathrm{e}^{-\varepsilon^{2}d/8r^{2}}$$

Debreu's Coefficient of Resource Utilization

Suppose f is not Pareto optimal.

What is the min. aggregate resources (call it ω^*) that could provide agents with the same utility as in f?

Gap between ω and ω^* as the inefficiency inherent in the allocation fIn Debreu's words, these are "nonutilized resources."

Measure gap by a "distance with economic meaning:" $p \cdot (\omega - \omega^*)$; p is an "intrinsic price vector" associated with ω^* .

For a scale-independent measure, he works with the ratio of $p \cdot \omega^* / p \cdot \omega$.

Prices *p* follow argument analogous to Second Welfare Theorem.

Debreu's Coefficient of Resource Utilization

Debreu's *coefficient of resource utilization* for an allocation $f = (f_1, ..., f_n)$ is:

$$ext{CRU}(f)\coloneqq \max_{\omega^*\in\partial\overline{\mathcal{V}^{(0)}}}rac{p(\omega^*)\cdot\omega^*}{p(\omega^*)\cdot\omega},$$

where $\partial \overline{\mathcal{V}^{(0)}}$ consists of the minimal elements of the closure $\overline{\mathcal{V}^{(0)}}$ of $\mathcal{V}^{(0)}$ (meaning there is no smaller element in $\mathcal{V}^{(0)}$), and $p(\omega^*)$ is a supporting price vector at ω^* ,

Debreu's Coefficient of Resource Utilization

Corollary

Under the hypotheses of prev. thm. For any allocation f,

$$\widetilde{\mathsf{P}}^{r}_{\kappa}\left(ar{\omega}+ ilde{z}\in\mathcal{V}^{(0)}
ight)\leq\kappa\mathrm{e}^{-(1-\mathrm{CRU}(f))^{2}d/8r^{2}}\,.$$

(1)

Debreu's Coefficient of Resource Utilization

Debreu: think of CRU(f) as a % of national income, or GDP.

But in an economy with a large state space, even a seemingly large inefficiency — as measured by CRU — may not translate into a wide scope for welfare improvements by changing aggregate consumption.

NASDAQ example: a seemingly large inefficiency of 50% measured by the CRU(f), translates into a bound of e^{-112} in the cor.

Despite a large inefficiency of 50%, the chance that a random perturbation could be distributed to make all agents better off (not by $\varepsilon > 0$; strictly better off) is essentially zero.

Main result 3: Risk sharing and Multiple-priors

Billot, Chateauneuf, Gilboa, and Tallon, 2000 Ng, 2003 Rigotti, Shannon, and Strzalecki, 2008 Gilboa, Samuelson, and Schmeidler, 2014 Ghirardato and Siniscalchi, 2018

- Given a measurable subset $A \subseteq \mathbb{R}^m$, its *Euclidean volume*, denoted by Vol(A), is its Lebesgue measure relative to the affine hull of A.
- For ex. if A is a m-1 dimensional surface in \mathbb{R}^m , then Vol(A) refers to the surface area of A, as opposed to its m dimensional volume (which is zero).
- If S is a finite set, we denote by $\Delta S = \{\mu : S \mapsto \mathbb{R}_+ | \sum_{s \in S} \mu(s) = 1\}$ the set of all probability measures on S.

Consider an exchange economy ${\ensuremath{\mathcal E}}$ with no aggregate uncertainty.

The aggregate endowment is the same across all states of the world: $\omega = (\bar{\omega}, \ldots, \bar{\omega})$. We quantify the space of all allocations, denoted by $\mathcal{F}_{\bar{\omega}}$, by the magnitude

$$\rho := 2\bar{\omega}^{-1} \max_{f \in \mathcal{F}_{\bar{\omega}}} \sum_{i \in I} \|f_i\|,$$

For the purposes of the talk (the paper has a more general model), suppose agents' preferences have an MEU representation:

$$u_i(f) = \min\{f \cdot \mu : \mu \in \Pi_i\},\$$

for a convex compact set of priors $\Pi \subseteq \Delta S$.

Multiple prior preferences

For $J \subseteq I$, let $\Pi_J = \bigcap_{i \in J} \Pi_i$.

Theorem

Let $\ensuremath{\mathcal{E}}$ be an exchange economy with MEU preferences and no aggregate uncertainty.

If the allocation f is ε -Pareto dominated, then for every $J \subset I$,

$$\frac{\min\left(\mathsf{Vol}\left(\Pi_{J}\right),\mathsf{Vol}\left(\Pi_{J^{c}}\right)\right)}{\mathsf{Vol}\left(\Delta_{d}\right)} \leq \frac{1}{2}\,\mathrm{e}^{-c\varepsilon\sqrt{d}}$$

Where c > 0 is a universal constant.

Multiple prior preferences

A "behavioral" analogue of small volume.

Measure degree of ambiguity aversion by the difference between max and min EU of a normalized act $f(||f||_2 = 1)$:

$$\theta(f) := \max\{f \cdot \mu : \mu \in \Pi\} - \min\{f \cdot \mu : \mu \in \Pi\}$$

Proposition

Under the conditions of the prev. thm, and when Π has constant width θ ,

$$\theta \le 4 \,\mathrm{e}^{-c\varepsilon/\sqrt{d}} (d!)^{-1/2d} \,. \tag{2}$$

Where c > 0 is a universal constant c > 0.

Isoperimetric inequalities: some history

Relation between area/volume and shape.



Dido Purchases Land for the Foundation of Carthage. Engraving by Matthäus Merian the Elder, in Historische Chronica, Frankfurt a.M., 1630. Dido's people cut the hide of an ox into thin strips and try to enclose a maximal domain.

Isoperimetric inequalities: some history

Pappus of Alexandria (On the Sagacity of Bees):


Bees, ... know just this fact which is useful to them, that the hexagon is greater than the square and the triangle and will hold more honey for the same expenditure of material in constructing each. ...

We, claiming a greater share in the wisdom than the bees, will investigate a somewhat wider problem, namely that, of all equilateral and equiangular plane figures having an equal perimeter, that which has the greater number of angles is always greater, and the greatest of them all is the circle having its perimeter equal to them.



Echenique – Pourbabaee Welfare w/many states

Isoperimetric inequalities: some history



Isoperimetric ineq. on the plane:

$$L^2 \ge 4\pi A$$

where L is the length of a curve and A the area it encloses.

Equality holds iff a circle.

Isoperimetric inequalities: Modern theory

High-dimensional concentration of measure phenomenon.

Volume of \mathbb{B}_2 is $\pi^{d/2}/\Gamma(d/2+1) \sim d^{-d/2}$.

The volume of a circumscribing square is $= 2^d$.



If say d = 20 then chances of a random point in Square being in Ball are effectively zero.



Isoperimetric inequalities: Modern theory

High-dimensional concentration of measure phenomenon.

Let $A \subseteq \mathbb{B}_2$ have measure $\geq 1/2$.

Then the " δ -padding" of A, the set of points that are within distance δ of A, concentrates most of the meausure in \mathbb{B} .

Moreover, bounds on such concentration (as a function of d) are independent of A.



Notation

Let $A \subseteq \mathbb{R}^m$.

$$\mathsf{dist}(x,A) := \inf_{a \in A} \|x - a\|$$

When a particular *p*-norm is used, we refer to the distance function by dist_p and the norm by $\|\cdot\|_p$.

For two subsets A and B of \mathbb{R}^m we define dist $(A, B) = \inf \{ ||a - b|| : a \in A, b \in B \}.$

For a vector $p \in \mathbb{R}^d$ and a constant *b*, we define two half-spaces:

$$H^+(p; b) = \left\{ x \in \mathbb{R}^d : p \cdot x \ge b \right\} ,$$

$$H^-(p; b) = \left\{ x \in \mathbb{R}^d : p \cdot x \le b \right\} ,$$

Easy to verify:

dist₂
$$(H^+(p; b_2), H^-(p; b_1)) = \frac{b_2 - b_1}{\|p\|_2}$$
. (3)

Isoperimetric inequalities

Let A and B be two non-empty compact subsets of \mathbb{R}^d .

The Brunn-Minkowski inequality is

$$Vol(A+B)^{1/d} \ge Vol(A)^{1/d} + Vol(B)^{1/d}$$
. (4)

A *dimension-free* version of this inequality:

For $\lambda \in [0, 1]$:

$$\operatorname{Vol}(\lambda A + (1 - \lambda)B) \ge \operatorname{Vol}(A)^{\lambda} \operatorname{Vol}(B)^{1 - \lambda}.$$
 (5)

((5) may be derived as a consequence of (4))

Isoperimetric inequalities

Simple (but important) consequence of (5).

Lemma

Assume A and B are Borel subsets of $\mathbb{B}_2(r)$, and dist₂(A, B) $\geq \delta$. Then,

$$\frac{\min\{\operatorname{Vol}(A),\operatorname{Vol}(B)\}}{\operatorname{Vol}(\mathbb{B}_2(r))} \le e^{-\delta^2 d/8r^2}.$$
(6)

Proof of the lemma

Wlog take A and B closed.

By the parallelogram law for the ℓ_2 -norm if $a \in A$ and $b \in B$ then

$$\|a+b\|^2 = 2\|a\| + 2\|b\|^2 - \|a-b\|^2 \le 4r^2 - \delta^2$$

Hence

$$\frac{A+B}{2} \subseteq \sqrt{1-\frac{\delta^2}{4r^2}} \mathbb{B}(r),$$

and therefore,

$$\mathsf{Vol}\left(\frac{A+B}{2}\right) \leq \left(1 - \frac{\delta^2}{4r^2}\right)^{d/2} \mathsf{Vol}(\mathbb{B}(r)) \leq \mathrm{e}^{-\delta^2 d/8r^2} \, \mathsf{Vol}(\mathbb{B}(r)) \, .$$

From BM (w/ $\lambda=1/2)$ we have

$$\operatorname{Vol}\left(\frac{A+B}{2}\right) \geq \sqrt{\operatorname{Vol}\left(A\right)}\sqrt{\operatorname{Vol}\left(B\right)} \geq \min\left\{\operatorname{Vol}\left(A\right),\operatorname{Vol}\left(B\right)\right\}$$

Proof of first thm

Given f is a Walrasian eq. there's $p \in \mathbb{R}^d_+$ s.t $p \cdot g_i > p \cdot \omega_i$ for all $i \in I$ and $g_i \in \mathcal{U}_i^{(0)}(f_i)$.

Observe that if
$$g \in \mathcal{U}_i^{(\varepsilon)}(f_i)$$
 then $(1 - \varepsilon)g \in \mathcal{U}_i^{(0)}(f_i)$ and therefore $p_i \cdot (1 - \varepsilon)(g - \omega_i) > \varepsilon p \cdot \omega_i$.

So:

$$p \cdot (g - \omega_i) > \frac{\varepsilon p \cdot \omega_i}{1 - \varepsilon} > \varepsilon p \cdot \omega_i \ge \varepsilon \tau \|p\|_1,$$

Hence, $\mathcal{U}_{i}^{(\varepsilon)}(f_{i}) - \{\omega_{i}\} \subseteq H^{+}(p; \varepsilon \tau ||p||_{1})$ for all $i \in I$.

Proof of first thm

Define
$$\mathcal{Q} = \bigcup_{i \in I} \left(\mathcal{U}_i^{(\varepsilon)}(f_i) - \{\omega_i\} \right).$$

Then $\mathcal{Q} \subseteq H^+(p; \varepsilon \tau \|p\|_1)$, so

$$\begin{aligned} \operatorname{dist}_2\left(\mathcal{Q}\cap\mathbb{B}_2(r), H^-(p; 0)\cap\mathbb{B}_2(r)\right) \geq &\operatorname{dist}_2\left(H^+\left(p; \varepsilon\tau \|p\|_1\right)\cap\mathbb{B}_2(r), \\ H^-(p; 0)\cap\mathbb{B}_2(r)\right) \\ \geq &\operatorname{dist}_2\left(H^+\left(p; \varepsilon\tau \|p\|_1\right), H^-(p; 0)\right) \\ &= &\varepsilon\tau \frac{\|p\|_1}{\|p\|_2} \\ \geq &\varepsilon\tau \end{aligned}$$

Now set $A := \mathcal{Q} \cap \mathbb{B}_2(r)$ and $B := H^-(p; 0) \cap \mathbb{B}_2(r)$.

The above shows dist₂(A, B) $\geq \varepsilon \tau$. But B covers at least 1/2 vol. of $\mathbb{B}_2(r)$.

So must have $Vol(A) \leq Vol(B)$.

The lemma implies $Vol(A)/Vol(\mathbb{B}_2(r)) \leq e^{-\varepsilon^2 \tau^2 d/8r^2}$.

So

$$\frac{\operatorname{\mathsf{Vol}}\left(\mathcal{Q}\,\cap\,\mathbb{B}_2(r)\right)}{\operatorname{\mathsf{Vol}}(\mathbb{B}_2(r))} \leq \mathrm{e}^{-\varepsilon^2\tau^2 d/8r^2}\,,$$

Finally note if $f = \{f_i : i \in I\}$ is a Walrasian eq. for the exchange economy \mathcal{E} , it's also one for \mathcal{E}' that's identical to \mathcal{E} except that $\omega'_i = f_i$.

We've proposed a quantitative assessment of welfare in standard models of risk sharing and exchange.

A random perturbation of individual, or collective, consumption may improve welfare.

But the probability that this occurs by a fixed amount ε decreases exponentially in the number of states.

Applications to: CRU and ambiguity aversion.

Arguments follow from high-dimensional probability phenomena that have been the focus of a recent active literature.

"Sharing Beliefs: Between Agreeing and Disagreeing". "Risk Sharing in the Small and in the Large".

- "No-Betting-Pareto Dominance". "On the Duality Between Prior Beliefs and Trading Demands".
- Beliefs and Ex ante Trade".