Economics 101A
(Lecture 7)

Stefano DellaVigna

February 12, 2008

Outline

1. Utility maximization II

2. Utility maximization – Tricky Cases

1 Utility Maximization

- Maximization problem becomes

$$\max_{x_1,x_2} u(x_1, x_2)$$
$$s.t.\ p_1x_1 + p_2x_2 - M = 0$$

- $L(x_1, x_2) = u(x_1, x_2) - \lambda(p_1x_1 + p_2x_2 - M)$

- F.o.c.s:

$$\begin{aligned} u'_{x_i} - \lambda p_i &= 0 \text{ for } i = 1, 2 \\ p_1x_1 + p_2x_2 - M &= 0 \end{aligned}$$

- Moving the two terms across and dividing, we get:

$$MRS = -\frac{u'_{x_1}}{u'_{x_2}} = -\frac{p_1}{p_2}$$

- Graphical interpretation.

- Second order conditions:

$$H = \left(\begin{array}{ccc} 0 & -p_1 & -p_2 \\ -p_1 & u''_{x_1,x_1} & u''_{x_1,x_2} \\ -p_2 & u''_{x_2,x_1} & u''_{x_2,x_2} \end{array} \right)$$

$$\begin{aligned} |H| &= p_1 \left(-p_1 u''_{x_2,x_2} + p_2 u''_{x_2,x_1} \right) \\ &\quad -p_2 \left(-p_1 u''_{x_1,x_2} + p_2 u''_{x_1,x_1} \right) \\ &= -p_1^2 u''_{x_2,x_2} + 2 p_1 p_2 u''_{x_1,x_2} - p_2^2 u''_{x_1,x_1} \end{aligned}$$

- Notice: $u''_{x_2,x_2} < 0$ and $u''_{x_1,x_1} < 0$ usually satisfied (but check it!).

- Condition $u''_{x_1,x_2} > 0$ is then sufficient

- Example with CES utility function.

$$\max_{x_1,x_2} \left(\alpha x_1^\rho + \beta x_2^\rho\right)^{1/\rho}$$
$$s.t.\ p_1 x_1 + p_2 x_2 - M = 0$$

- Lagrangean =

- F.o.c.:

- Solution:

$$x_1^* = \frac{M}{p_1\left(1+\left(\frac{\alpha}{\beta}\right)^{\frac{1}{\rho-1}}\left(\frac{p_2}{p_1}\right)^{\frac{\rho}{\rho-1}}\right)}$$
$$x_2^* = \frac{M}{p_2\left(1+\left(\frac{\beta}{\alpha}\right)^{\frac{1}{\rho-1}}\left(\frac{p_1}{p_2}\right)^{\frac{\rho}{\rho-1}}\right)}$$

- Special case 1: $\rho = 0$ (Cobb-Douglas)

$$\begin{aligned} x_1^* &= \frac{\alpha}{\alpha+\beta}\frac{M}{p_1} \\ x_2^* &= \frac{\beta}{\alpha+\beta}\frac{M}{p_2} \end{aligned}$$

- Special case 1: $\rho \to 1$ (Perfect Substitutes)

$$\begin{aligned} x_1^* &= \begin{cases} 0 & \text{if } p_1/p_2 \geq \alpha/\beta \\ M/p_1 & \text{if } p_1/p_2 < \alpha/\beta \end{cases} \\ x_2^* &= \begin{cases} M/p_2 & \text{if } p_1/p_2 \geq \alpha/\beta \\ 0 & \text{if } p_1/p_2 < \alpha/\beta \end{cases} \end{aligned}$$

- Special case 1: $\rho \to -\infty$ (Perfect Complements)

$$x_1^* = \frac{M}{p_1 + p_2} = x_2^*$$

- Parameter ρ indicates substition pattern between goods:
  - $\rho > 0$ –> Goods are (net) substitutes
  - $\rho < 0$ –> Goods are (net) complements

2 Utility maximization – tricky cases

1. Non-convex preferences. Example:

2. Example with CES utility function.

$$\max_{x_1,x_2} \left(\alpha x_1^{\rho} + \beta x_2^{\rho}\right)^{1/\rho}$$
$$s.t.\ p_1 x_1 + p_2 x_2 - M = 0$$

- With $\rho > 1$ the interior solution is a minimum!

- Draw indifference curves for $\rho = 1$ (boundary case) and $\rho = 2$

- Can also check using second order conditions

2. Solution does not satisfy $x_1^* > 0$ or $x_2^* > 0$. Example:

$$\max x_1 * (x_2 + 5)$$
$$s.t.\ p_1 x_1 + p_2 x_2 = M$$

- In this case consider corner conditions: what happens for $x_1^* = 0$? And $x_2^* = 0$?

3. Multiplicity of solutions. Example:

- Convex preferences that are not strictly convex

3 Next Class

- More comparative statics:
  - Price Effects
  - Intuition
  - Slutzky Equation
- Then moving on to applications:
  - Labor Supply
  - Intertemporal choice
  - Economics of Altruism